Corner jack

TLA-LFT-CJACK-01 Section 6 — **Container Adjusting / Lifting**



CATEGORY 6
Container Adjusting / Lifting

1 PRODUCT OVERVIEW

Designed to lift and level container corners. Set of 4 required for full-container lift. When used with the Everything Container 10-ton hydraulic jack, lifts corner casting by approximately 125mm per operation. For greater heights, incremental lifting: gap created by lifting is filled with weight-bearing material, then procedure is repeated. For safety and to avoid container twisting, 2 adjacent corners should be lifted simultaneously. Once levelled, bracket can be removed and stored.



2 SPECIFICATIONS AT A GLANCE

SKU / Part No.	**TLA-LFT-CJACK-01**
Material	Graded steel plate
Load Rating	SWL: 10 tons (standard) / 20 tons (heavy duty)
Finish	Etching primer + final coat; client colour choice
Applicable Standard	*On application*
Unit Weight	*On application*

DRAFT

3 LOAD & PERFORMANCE DATA

Load Rating (SWL / MBL)	SWL: 10 tons (standard) / 20 tons (heavy duty)

4 DIMENSIONS & WEIGHT

Dimension	Value
Overall Dimensions (L × W × H)	*On application*
Unit Weight	*On application*

5 MATERIALS, FINISH & COMPLIANCE

Material / Construction	Graded steel plate
Finish / Coating	Etching primer + final coat; client colour choice
Applicable Standards	*On application*
Compatibility / Fitment	*On application*
Country of Origin	*On application*

6 APPLICATIONS

- Container levelling at permanent or temporary sites
- full container lifting in combination with hydraulic jack
- maintenance access

7 SAFETY NOTICES

⚠ **SAFETY**

Never exceed the stated safe working load. Inspect the unit and mating corner castings for damage before each use.

8 DRAWINGS, 3D MODELS & LATEST REVISIONS


CHECK FOR THE LATEST REVISION

This datasheet	DRAFT A · 2026-08-20 — verify current issue online
2D dimensioned drawing	Included in this document (page 3) — verify latest revision online
3D model (STEP)	Available on request (STEP) — verify latest version online


Scan the QR code or visit twistlockafrica.co.za/go/tla-lft-cjack-01 to confirm you hold the latest issue of this datasheet, drawing and 3D model before manufacturing or installation.

ORDERS & ENQUIRIES · info@twistlockafrica.co.za · Tel +27 11 609 7873 · WhatsApp +27 82 825 1852 · www.twistlockafrica.co.za · Pricing on application (ZAR, ex VAT)


9 DIMENSIONED DRAWING / PRODUCT SHEET — TLA-DRW-LFT-CJACK-01 DRAFT A (FROM 3D MODEL)




FRONT
↔ 212 ↕ 135 mm



RIGHT
↔ 212 ↕ 278 mm



TOP
↔ 135 ↕ 278 mm



LOADS		SHEAR [kN]	TENSION [kN]
BREAKING LOAD	BL	On application	On application
SAFE WORKING LOAD	SWL	On application	On application
TOTAL WEIGHT: TBC			

DRAFT

Overall envelope from 3D model: 135 × 278 × 212 mm · third-angle · do not scale · detail dimensions per 3D model (STEP on request) · load ratings on application — see datasheet

CORNER JACK 10 T

TLA-LFT-CJACK-01
DRAFT A · 2026-08-22

Twistlock Africa (Pty) Ltd
Gauteng, South Africa
www.twistlockafrica.co.za

TWISTLOCK africa

ralph@twistlockafrica.co.za
+27 (0)82 825 1852
Pricing & certification on application

LATEST REV