# Lifting lugs - top entry

**TLA-LFT-LLTE-01** Section 6 — **Container Adjusting / Lifting**



CATEGORY 6
**Container Adjusting / Lifting**

## 1 PRODUCT OVERVIEW

Insert into corner casting, twist to lock; black safety slider drops into place to prevent removal in use. To remove: lift slider, twist 90°, pull out. As certified lifting equipment, must not be dropped. Use only for container lifting. Must be used in pairs of 2 or 4.



## 2 SPECIFICATIONS AT A GLANCE

| | |
|---|---|
| **SKU / Part No.** | **TLA-LFT-LLTE-01** |
| **Material** | Cast steel |
| **Load Rating** | SWL: 56 tons |
| **Finish** | Powder-coated Yellow |
| **Applicable Standard** | *On application* |
| **Unit Weight** | *On application* |

DRAFT

## 3 LOAD & PERFORMANCE DATA

| | |
|---|---|
| **Load Rating (SWL / MBL)** | SWL: 56 tons |

## 4 DIMENSIONS & WEIGHT

| Dimension | Value |
|---|---|
| **Overall Dimensions (L × W × H)** | *On application* |
| **Unit Weight** | *On application* |

## 5 MATERIALS, FINISH & COMPLIANCE

| | |
|---|---|
| **Material / Construction** | Cast steel |
| **Finish / Coating** | Powder-coated Yellow |
| **Applicable Standards** | *On application* |
| **Compatibility / Fitment** | *On application* |
| **Country of Origin** | *On application* |

## 6 APPLICATIONS

- Container lifting with cranes via top corner castings
- used with shackle and chain/sling lashing equipment
- pairs of 2 or 4

## 7 SAFETY NOTICES

⚠ **SAFETY**

Never exceed the stated safe working load. Inspect the unit and mating corner castings for damage before each use.

## 8 DRAWINGS, 3D MODELS & LATEST REVISIONS

### CHECK FOR THE LATEST REVISION

| | |
|---|---|
| **This datasheet** | DRAFT A · 2026-08-20 — verify current issue online |
| **2D dimensioned drawing** | Included in this document (page 3) — verify latest revision online |
| **3D model (STEP)** | In production — check availability online |

Scan the QR code or visit twistlockafrica.co.za/go/tla-lft-llte-01 to confirm you hold the latest issue of this datasheet, drawing and 3D model before manufacturing or installation.

**ORDERS & ENQUIRIES** · info@twistlockafrica.co.za · Tel +27 11 609 7873 · WhatsApp +27 82 825 1852 · www.twistlockafrica.co.za · Pricing on application (ZAR, ex VAT)

## 9 DIMENSIONED DRAWING / PRODUCT SHEET — CONTAINER LIFTING LUGS REV 0


# Tusker® Container Lifting Systems

**Container Lifting Systems** (supplied in sets of 4. 2 LH/2 RH or 4 straight)

### Side Entry Container Lifting Lugs



| Model | Product Code | WLL Tonnes Set of 4 | Chain Angle | | Type | |
|---|---|---|---|---|---|---|
| MKVA | BO 2005094 | 50 | 0 - 45° RH/LH | | Bottom Lifting | |
| K:192mm | E:70mm | F:46mm | T:25 mm | G:75mm | H:48mm | Mass 4kg |









### Top Entry Container Lifting Lugs



| Model | WLL kg | Type of lifting | Sling angle from vertical | A mm | B mm | C mm | D mm | E mm | F mm | G mm | Weight kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CLT | 56000 | Top | Vertical | 123 | 217 | 45 | 39 | 57 | 101 | 121 | 28 |






**Address (JHB):** 100 8th Avenue, Edenvale, 1610, Gauteng, South Africa
**Address (CPT):** 17 Simone Street, De Tijger, Parow, 7500, Cape Town, South Africa
**Website:** www.twistlockafrica.co.za
**Email:** info@twistlockafrica.co.za
**Tel:** +27 11 609 7873

TWISTLOCK africa